## AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## LISTING OF CLAIMS:

 (currently amended) A pseudoerythromycin derivative represented by the formula [I],

wherein  $R_1$  and  $R_2$  are same or different and each represents H, alkyl, alkynyl, acyl, or sulfonyl, in which these groups may optionally have substituents, and Me indicates methyl, wherein when  $R_1$  is Me or I-Pr,  $R_2$  is not H or Me,  $R_2$  is not H, Me, or i-Pr, and wherein Me is methyl.

- 2. (canceled)
- 3. (original) A compound according to claim 1 which is bis-de(3'-N-methyl)-3'-N-ethyl-8, 9-anhydro-pseudoerythromycin A 6, 9-hemiketal or salt thereof.
- 4. (original) A compound according to claim 1 which is bis-de(3'-N-methyl)-3', 3'-N, N-diethyl-8, 9-anhydropseudoerythromycin A 6, 9-hemiketal or salt thereof.

- 5. (original) A compound according to claim 1 which is bis-de(3'-N-methyl)-3'-N-propyl-8, 9-anhydro-pseudoerythromycin A 6, 9-hemiketal or salt thereof.
- 6. (original) A compound according to claim 1 which is bis-de(3'-N-methyl)-3', 3'-N, N-dipropyl-8, 9-anhydro-pseudoerythromycin A 6, 9-hemiketal or salt thereof.

7-10. (canceled)

11. (currently amended) A pseudoerythromycin derivative represented by the formula [III],

wherein  $R_3$  is [[O or]] NOH, and Me indicates methyl.

12-22. (canceled)

23. (currently amended) A method for the differentiation-induction of a monotcyte to a macrophage in a patient in need of treatment thereof, comprising:

administering to treating said patient monocyte with an effective amount of a pseudoerythromycin derivative represented by the formula [I],

wherein  $R_1$  and  $R_2$  are same or different and each represents H, alkyl, alkynyl, acyl, or sulfonyl, in which these groups may optionally have substituents, and Me indicates methyl, wherein when  $R_1$  is Me or I-Pr,  $R_2$  is not H.

24-25. (canceled)